REFERENCES

Akib, A. M. A. M., bin Saad, N., Asirvadam, V. (2011). Pressure point analysis for early detection system. *In: Signal Processing and its Applications (CSPA), 2011 IEEE 7th International Colloquium*, 103-107.

Bagajewicz, M., Valtinson, G. (2014). Leak detection in gas pipelines using accurate hydraulic models. *Industrial & Engineering Chemistry Research*, 53(44): 16964-16972.

Beck, S., Foong, J., Staszewski, W. (2006). Wavelet and cepstrum analyses of leaks in pipe networks. *13th European Conference on Mathematics of Industry, ECMI*, 8: 559-563.

Beck, S., Staszewski, W. (2004). Cepstrum analysis for identifying reflection points in pipeline networks. *Proceedings Of The International Conference On Pressure Surges*, 1: 199-210.

Bernasconi, G., Del Giudice, S., Giunta, G. (2012). Pipeline acoustic monitoring. *7th Pipeline Technology Conference 2012*.

Billman, L. and Isermann, R. (1984). Leak detection methods for pipelines. *Proceeding of the 8th IFAC Congresse*, 1813–1818.

Brodetsky, I., Savic, M. (1993). Leak monitoring system for gas pipelines. *In: Acoustics, Speech, and Signal Processing, 1993. ICASSP-93, 1993 IEEE International Conference*. 3: 17-20.

Burn, S., DeSilva, D., Eiswirth, M., Hunaidi, O., Speers, A., Thornton, J. (1999). Pipe leakage–future challenges and solutions. *Pipes Wagga Wagga, Australia.*

Burrus, C. S., Gopinath, R. A., Guo, H. (1998). *Introduction to wavelet and wavelet transforms*. Prentice hall. New York.

Byron, F. W., Fuller, R. W. (2012). *Mathematics of classical and quantum physics.* Courier Corporation.

Cerda, J. (August 2011). Oil pipeline logistics. Slide. Pan American Study Institute on Emerging Trends in Process Systems Engineering.

Civan, F. and Balda, K. V. (2013). Application of mass balance and transient flow modeling for leak detection in liquid pipelines. *In: SPE Production and Operations Symposium, Oklahoma City, Oklahoma, USA. Society of Petroleum Engineers*. 23-26.

ClampOn, (August 2014). Clampon dsp leak monitor. (online) http://www.clampon.com/products/topside/leak-monitor/downloads/ (2 Sept 2014).

Colombo, A., Karney, B., (2003). Pipe breaks and the role of leaks from an economic perspective. *Water Science and Technology: Water Supply*. 3(1-2): 163-169.

Doorhy, J., (2011). Real-time pipeline leak detection and location using volume balancing. *Pipeline Gas J*. 238(2): 65-67.

DOSH, (2011). Explosion of liquefied petroleum gas (LPG) in a supermarket. (online) http://www.dosh.gov.my/index.php?option=com_content&view=article&id=330:explosion-of-liquefied-petroleum-gas-lpg-in-a-supermarket&catid=438&Itemid=692&lang=en. (15 June 2015)

El-Shiekh, T. (2010). Leak detection methods in transmission pipelines. *Energy Sources, Part A: Recovery, Utilization, and Environmental Effects*. 32(8): 715-726.

Flandrin, P., Goncalves, P. (2004). Empirical mode decompositions as data-driven wavelet-like expansions. *International Journal of Wavelets, Multiresolution and Information Processing*. 2(04): 477-496.

Folga, S. (2007). Natural gas pipeline technology overview. Tech. rep., Argonne National Laboratory (ANL).

Fukushima, K., Maeshima, R., Kinoshita, A., Shiraishi, H., Koshijima, I. (2000). Gas pipeline leak detection system using the online simulation method. *Computers & Chemical Engineering*. 24(27): 453-456.

Ghazali, M. F., (2012). Leak detection using instantaneous frequency analysis. Ph.D. thesis, University of Sheffield.

Ghazali, M. F., Beck, S. B. M., Shucksmith, J. D., Boxall, J. B., Staszewski, W. J. (2012). Comparative study of instantaneous frequency based methods for leak detection in pipeline networks. *Mechanical Systems and Signal Processing* 29: 187-200.

Gas Malaysia Berhad, 2015. Supply concept. (online) http://www.gasmalaysia.com/index.php/our-services/natural-gas/supply-concept/(15-November-2015).

Golby, J., Woodward, T. (1999). Find that leak (digital signal processing Approach). *IEE review*. 45(5): 219-221.

Hafezi, M. M., Mirhosseini, M. (2015). Application of cross-correlation in pipe condition assessment and leak detection; using transient pressure and acoustic waves. *Resources and Environment*. 5(5): 159-166.

Hedeng, Y., Laibing, Z., Wei, L., Yingchun, Y., Yijing, R. (2012). Study of gas pipeline leak detection based on hilbert marginal spectrum. *In: Computational and Information Sciences (ICCIS), 2012 Fourth International Conference on. IEEE*. 1259-1262.

Heller, E. J. (2012). *Why you hear what you hear: an experiential approach to sound, music, and psychoacoustics*. Princeton University Press.

Huang, N. E., Attoh-Okine, N. O. (2005). *The Hilbert-Huang Transform in Engineering*. First Edition. CRC Press.

Huang, N. E., Shen, Z., Long, S. R., Wu, M. C., Shih, H. H., Zheng, Q., Yen, N.-C., Tung, C. C., Liu, H. H. (1998). The empirical mode decomposition and the hilbert spectrum for nonlinear and non-stationary time series analysis. *In: Proceedings of the Royal Society of London A: Mathematical, Physical and Engineering Sciences*. 454: 903-995.

Huang, N. E., Wu, M.-L. C., Long, S. R., Shen, S. S., Qu, W., Gloersen, P., Fan, K. L. (2003). A confidence limit for the empirical mode decomposition and hilbert spectral analysis. *In: Proceedings of the Royal Society of London A: Mathematical, Physical and Engineering Sciences*. 459 2317-2345.

Huang, N. E., Wu, Z. (2008). A review on hilbert-huang transform: Method and its applications to geophysical studies. *Reviews of Geophysics*. 46(2).

Ikuta, K., Yoshikane, N., Vasa, N., Oki, Y., Maeda, M., Uchiumi, M., Tsumura, Y., Nakagawa, J., Kawada, N. (1999). Differential absorption lidar at 1.67 μm for remote sensing of methane leakage. *Japanese Journal of Applied Physics*. 38(1R): 110.

Ingard, U., Singhal, V. K. (1974). Sound attenuation in turbulent pipe flow. *The Journal of the Acoustical Society of America*. 55(3): 535-538.

Jia, Y., Gao, B., Jiang, C., Chen, S. (2012). Leak diagnosis of gas transport pipelines based on hilbert-huang transform. *International Conference on Measurement, Information and Control (MIC)*. 2: 614-617.

Kennedy, J. (2005). A nose for trouble. *Oil & Gas*. 32-37.

Kim, M.-S., Lee, S.-K. (2009). Detection of leak acoustic signal in buried gas pipe based on the time-frequency analysis. *Journal of Loss Prevention in the Process Industries*. 22(6): 990-994.

Li, S., Wen, Y., Li, P., Yang, J., Dong, X., Mu, Y. (2014). Leak location in gas pipelines using cross-time-frequency spectrum of leakage-induced acoustic vibrations. *Journal of Sound and Vibration*. 333(17): 3889-3903.

Li, Z. (2011). An ensemble empirical mode decomposition approach to wear particle detection in lubricating oil subject to particle overlap. Ph.D. thesis, University of Ottawa.

Liou, J. C. (1996). Leak detection by mass balance effective for norman wells line. *Oil and gas journal*. 94(17).

Liu, M., Zang, S., Zhou, D. (2005). Fast leak detection and location of gas pipelines based on an adaptive particle filter. *International Journal of Applied Mathematics and Computer Science*. 15(4): 541.

Loth, J., Morris, G. J., Palmer, G. M., Guiler, R., Mehra, D. (2003). Technology assessment of on-line acoustic monitoring for leaks/infringements in underground natural gas transmission lines. USA: West Virginia University.

Lowry, W. E., Dunn, S. D., Walsh, R., Merewether, D., Rao, D. V., et al. (Mar. 14 2000). Method and system to locate leaks in subsurface containment structures using tracer gases. US Patent 6,035,701.

Majid, Z., and Mohsin, R. (2012). Failure investigation of natural gas pipeline. *Arabian journal for Science and Engineering*. 37(4): 1083-1088.

Marrin, D. L., Kerfoot, H. B. (1988). Soil-gas surveying techniques. *Environmental science & technology*. 22(7): 740-745.

McGeehan, P., and Ham, J. (March 28 2015). Months before east village blast, utility found gas line was tapped in dangerous way. *The New York Times*. March 28 2015.

Meng, L., Yuxing, L., Wuchang, W., Juntao, F. (2012). Experimental study on leak detection and location for gas pipeline based on acoustic method. *Journal of Loss Prevention in the Process Industries*. 25(1): 90-102.

Morrow, G., Dickerson, P. (2014). Leak sensitivity, location accuracy and robustness in natural gas pipelines. In: PSIG-1406. Pipeline Simulation Interest Group.

Mostafapour, A., Davoodi, S. (2013). Leakage locating in underground high pressure gas pipe by acoustic emission method. *Journal of Nondestructive Evaluation*. 32(2): 113-123.

Muhlbauer, W. K. (2004). *Pipeline risk management manual: ideas, techniques, and resources*. Gulf Professional Publishing.

Murvay, P.-S., Silea, I. (2012). A survey on gas leak detection and localization techniques. *Journal of Loss Prevention in the Process Industries*. 25(6): 966-973.

Papadopoulou, K., Shamout, M., Lennox, B., Mackay, D., Taylor, A., Turner, J., Wang, X. (2008). An evaluation of acoustic reflectometry for leakage and blockage detection. *Proceedings of the Institution of Mechanical Engineers, Part C: Journal of Mechanical Engineering Science*. 222(6): 959-966.

Parry, B., Mactaggart, R., Toerper, C. (1992). Compensated volume balance leak detection on a batched lpg pipeline. *In: Proceedings of the International Conference on Offshore Mechanics and Arctic Engineering. American Society of Mechanical Engineers*. 501-501.

Polikar, R. (1996). The wavelet tutorial. (online) http://users.rowan.edu/ polikar/WAVELETS/WTtutorial.html (10 May 2014).

Quaife, L., . A. D. (1993). Pipeline leak location technique using a novel test. Report.

Rahim, K. A., Liwan, A. (2012). Oil and gas trends and implications in malaysia. *Energy Policy*. 50: 262-271

Reichardt, T., Devdas, S., Kulp, T., Einfeld, W. (2002). Evaluation of active and passive gas imagers for transmission pipeline remote leak detection. *In: Natural Gas Infrastructure Reliability Industry Forum September*. 16-17.

Rienstra, S. W., Hirschberg, A. (2003). *An introduction to acoustics*. Eindhoven University of Technology 18, 19.

Rocha, M. (1989). Acoustic monitoring of pipeline leaks. *In: ISA Calgary 1989 Symposium-Paper*. 89-0333: 283-290.

Rougier, J. (2005). Probabilistic leak detection in pipelines using the mass imbalance approach. *Journal of Hydraulic Research*. 43(5): 556-566.

Sandberg, C., Holmes, J., Mccoy, K., Koppitsch, H. (1989). The application of a continuous leak detection system to pipelines and associated equipment. *Industry Applications, IEEE Transactions*. 25(5): 906-909.

Santos, R., de Sousa, E., da Silva, F., da Cruz, S., Fileti, A. (2013). Real-time monitoring of gas pipeline through artificial neural networks. *In: Computational Intelligence and 11th Brazilian Congress on Computational Intelligence (BRICS-CCI & CBIC), 2013 BRICS Congress on. IEEE*. 329-334.

Scott, S. L., Barrufet, M. A. (2003). Worldwide assessment of industry leak detection capabilities for single & multiphase pipelines. Tech. rep., Texas A&M University.

Sharp, D. B., Campbell, D. M. (1997). Leak detection in pipes using acoustic pulse reflectometry. *Acta Acustica united with Acustica*. 83(3): 560-566.

Shimanskii, S., Strelkov, B., AnanEv, A., Lyubishkin, A., Iijima, T., Mochizuki, H., Kasai, Y., Yokota, K., Kanazawa, J. (2005). Acoustic method of leak detection using high-temperature microphones. *Atomic Energy*. *98*(2): 89-96.

Silva, R. A., Buiatti, C. M., Cruz, S. L., Pereira, J. A. (1996). Pressure wave behaviour and leak detection in pipelines. *Computers & Chemical Engineering 20*. S491-S496.

Taghvaei, M., Beck, S. B. M., Staszewski, W. J. (2006). Leak detection in pipelines using cepstrum analysis. *Measurement Science and Technology*. 17(2): 367.

Tao, L., Groves, K., Lennox, B. (2015). The simulation of acoustic wave propagation within networked pipe systemsdevelopment and experimental validation. *The 22nd International Congress of Sound and Vibration*.

Thompson, G. (Dec. 1 1987). System for continuously monitoring for leaks in underground storage tanks. US Patent 4,709,577.

Tolstoy, A., Horoshenkov, K., Ali, M. B. (2009). Detecting pipe changes via acoustic matched field processing. *Applied Acoustics*. 70(5): 695-702.

Upton, J. (2014). A week after alaska oks a big gas pipeline, another gas pipeline ruptures. (online). http://grist.org/news/a-week-after- alaska-oks-a-big-gas-pipeline-another-gas-pipeline-ruptures/ (19 December 2014).

Urbanek, J., Barszcz, T., Uhl, T., Staszewski, W., Beck, S., Schmidt, B. (2012). Leak detection in gas pipelines using wavelet-based filtering. *Structural Health Monitoring*. 11(4): 405-412.

Polyethylene Properties, 2015. (online) http://www.vinidex.com.au/technical/material-properties/polyethylene-properties/ (02-May-2015).

Wang, X., Lennox, B., Ding, Z., Turner, J., Lewis, K. (2009a). Blockage detection in long lengths of pipeline using a new acoustic method. *In: Sixteenth Congress on Sound and Vibration, Krakow*.

Wang, X., Short, G., Dawson, K., Lennox, B. (2009b). Acoustic reflectometry for gas pipelines-monitoring features in gas pipelines using acoustek.

Watanabe, K., Himmelblau, D. M. (1986). Detection and location of a leak in a gas-transport pipeline by a new acoustic method. *AIChE Journal*. 32(10): 1690-1701.

Webb, R. (2015). Recent pipeline explosions highlight the need for tougher regulation of gas leaks. *The Kay Bailey Hutchison Center for Energy, Law, and Business*.

Wu, Z., Huang, N. E. (2009). Ensemble empirical mode decomposition: a noise-assisted data analysis method. *Advances in adaptive data analysis*. 1(01): 1-41.

Xu, J., Zhang, P., Shan, F., Nie, Z., Yu, Y., Mo, J., Luo, Y. (2013). An Improved Method of Leak Detection Used in Natural Gas Pipelines. Ch. 106, pp. 1051–1066.

Yang, Z., Xiong, Z., Shao, M. (2010). A new method of leak location for the natural gas pipeline based on wavelet analysis. *Energy*. 35(9): 3814-3820.

Yunus, U., Tsunasaki, M., He, Y., Kominami, M. (November 2006). Discontininuity detection of pipeline with sound wave. *IEEJ Trans. C*. 126: 1344-1350.

Yunus, U., Tsunasaki, M., He, Y., Kominami, M., Yamashita, K. (Aug. 2008). Detection of leak location in a pipeline by acoustic signal. *IEICE Trans. Fundam. Electron. Commun. Comput. Sci*. E91-A(8): 2053-2061.

Zhang, D. J., Twomey, M. (2000). Statistical pipeline leak detection techniques for all operating conditions. *In: 26th Environmental Symposium & Exhibition, California*. 285-290.

Zhang, T., Tan, Y., Zhang, X., Zhao, J. (2015). A novel hybrid technique for leak detection and location in straight pipelines. *Journal of Loss Prevention in the Process Industries*. 35: 157-168.